
Neurobiomarkers of Cognitive Dysfunction in Patients with Cancer


SHELLI R. KESLER, PHD
ASSOCIATE PROFESSOR OF NEURO-ONCOLOGY



Impact of Cognitive Difficulties




Neuroimaging Biomarkers



T1-weighted MRI Functional MRI (fMRI) Diffusion Tensor Imaging (DTI)


Hyperactivity




Kesler, SR, et al. 2009. Clin Cancer Res, 15, pp. 6665-73.

Ferguson, RJ, et al. 2007. J Clin Oncol, 25, pp. 3866-70.

Hypoactivity




Kesler SR, Kent JS, O'Hara R. JAMA Neurology. 2011;68(11):1447-53.




de Ruiter, MB, et al. 2011. Hum Brain Mapp, 32, pp. 1206-19.


Scale-free, Small-world Brains



Disrupted Small-World Organization



Kesler, SR, et al. 2016. Brain connectivity, 6, pp. 273-82.



Kesler, SR, et al. 2017. J Neurooncol, 131, pp. 565-574.


Critical Brains

Integration vs. Specialization


Random vs. Ordered

Efficiency vs. Metabolic Cost

Stability vs. Flexibility




Scale-Free Dynamics




Fractal behavior in fMRI signals

 Long-range dependence ("long memory") and self-similarity in time


Long Memory



1/f Distribution





Treatment Naïve Breast Cancer




Topological/Dynamical Imbalance


Breast Cancer







Excitotoxic Neural Activity?



Breast and other tumors initiate neurogenesis and release nerve growth hormone

Tumor aggressiveness associated with tumor-related neurogenesis


Aberrant CNS activity via peripheral innervation?

Vascular Effects?

Malignant tumors and inflammatory responses associated with angiogenesis

VEGF elevated following chemotherapy (Ng et al. 2013)

Increased incidence of cerebral small vessel disease (Koppelmans et al. 2015)



Funders and Collaborators

THE UNIVERSITY OF TEXAS

MDAnderson Cancer Center®























